



**DUKERS**  
Quality Commercial Refrigeration

Item # \_\_\_\_\_

Qty # \_\_\_\_\_

Model # \_\_\_\_\_

Project # \_\_\_\_\_



# FRYER

## FIVE TUBE BURNER


### DCF5-LPG / DCF5-NG



Fryer Burner



Fryer Baskets



Oil Tank



## PRODUCT DESCRIPTION



Five highly efficient red tube, cast iron burners create a large heat-transfer area for reliable, even heat distribution. Our durable temperature probe senses temperature changes and activates a quick burner response.



The temperature for the DCF5-LPG/DCF5-NG from 200°F (93°C) to 400°F (204°C). Includes Millivolt safety control system.



Every inch of the frypot and cold zone can be cleaned and wiped down by hand.



The large cold zone and forward sloping bottom help collect and remove sediment from the frypot to safeguard oil quality and support routine frypot cleaning.



## HIGH QUALITY STAINLESS STEEL & ROBUST DESIGN

\* All measures are presented in Inches

FRYER MODEL	DIMENSION		
	Width	Depth	Height
DCF5-NG	21 in	32 7/8 in	45 in
DCF5-LPG	21 in	32 7/8 in	45 in



Los Angeles | San Francisco | Dallas  
Houston | Florida | Chicago | New Jersey


1-800-931-8628

@ info@dukersusa.com

www.DukersUSA.com

# DETAILS & SPECIFICATIONS

## FRYER DCF5-LPG / DCF5-NG



Front View

Top View

Side View

DCF5-LPG	
GAS SOURCE	LPG
WORK AREA	19.49x13.98in
BURNER	5 count
SINGLE BURNER	30000 BTU/H
COMBINED	150000 BTU/H
OIL TANK CAPACITY	70 lbs
GAS PRESSURE	10 "WC
NOZZEL	52#
CONTAINER FITMENT	92

DCF5-NG	
GAS SOURCE	NG
WORK AREA	19.49x13.98in
BURNER	5 count
SINGLE BURNER	30000 BTU/H
COMBINED	150000 BTU/H
OIL TANK CAPACITY	70 lbs
GAS PRESSURE	4 "WC
NOZZEL	39#
CONTAINER FITMENT	92

Model	Packaging Dimensions (inches)			Net Weight (lbs)	Ship Weight (lbs)
	W	D	H		
DCF5-LPG	23 3/8"	35 3/8"	37 5/8"	220.46	246.92
DCF5-NG	23 3/8"	35 3/8"	37 5/8"	220.46	246.92



Los Angeles | San Francisco | Dallas  
Houston | Florida | Chicago | New Jersey

1-800-931-8628

@ info@dukersusa.com

www.DukersUSA.com